PLYHOOK


**Technical sheet**

# S-hook Small

Article: S-165 | Birch plywood


### PLYHOOK / S-hook S

DIMENSIONS IN mm




RAL 1023 · YELLOW

PLYWOOD THICKNESS



**12 mm**

Shortened detail

| | |
|---|---|
| A Upper entry gap | **≈26 mm** |
| B Lower entry gap | **≈48 mm** |
| Inner curve diameter | **Ø 48 mm** |

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

### Colour



Yellow · RAL 1023



Black · RAL 9005

| | |
|---|---|
| **Height** | 165 mm |
| **Width** | 90 mm |
| **Plywood thickness** | 12 mm |
| **Material** | Birch plywood |
| **Upper opening** | ≈ 26 mm |
| **Lower opening(s)** | ≈ 48 mm |
| **Inner curve diameter** | 48 mm |
| **Hooks per box** | 50 |
| **Working load** | To be confirmed for your application |

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

**Technical sheet**


# S-hook Medium

Article: M-230 | Birch plywood


### PLYHOOK / S-hook M

DIMENSIONS IN mm

RAL 1023 · YELLOW




PLYWOOD THICKNESS



**15 mm**

Shortened detail

| | |
|---|---|
| A Upper entry gap | **≈36 mm** |
| B Lower entry gap | **≈67 mm** |
| Inner curve diameter | **Ø 66 mm** |

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

### Colour



Yellow · RAL 1023



Black · RAL 9005

| | |
|---|---|
| **Height** | 230 mm |
| **Width** | 125 mm |
| **Plywood thickness** | 15 mm |
| **Material** | Birch plywood |
| **Upper opening** | ≈ 36 mm |
| **Lower opening(s)** | ≈ 67 mm |
| **Inner curve diameter** | 66 mm |
| **Hooks per box** | 40 |
| **Working load** | To be confirmed for your application |

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

**Technical sheet**


# S-hook Large

Article: L-310 | Birch plywood


### PLYHOOK / S-hook L

DIMENSIONS IN mm

RAL 1023 · YELLOW




PLYWOOD THICKNESS



**18 mm**

Shortened detail

| | |
|---|---|
| A Upper entry gap | **≈49 mm** |
| B Lower entry gap | **≈90 mm** |
| Inner curve diameter | **Ø 90 mm** |

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

### Colour



Yellow · RAL 1023



Black · RAL 9005

| | |
|---|---|
| **Height** | 310 mm |
| **Width** | 169 mm |
| **Plywood thickness** | 18 mm |
| **Material** | Birch plywood |
| **Upper opening** | ≈ 49 mm |
| **Lower opening(s)** | ≈ 90 mm |
| **Inner curve diameter** | 90 mm |
| **Hooks per box** | 30 |
| **Working load** | To be confirmed for your application |

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK


**Technical sheet**

# S-hook Extra Large

Article: XL-390 | Birch plywood


### PLYHOOK / S-hook XL

DIMENSIONS IN mm




RAL 1023 · YELLOW

PLYWOOD THICKNESS



**21 mm**

Shortened detail

| | |
|---|---|
| A Upper entry gap | **≈61 mm** |
| B Lower entry gap | **≈113 mm** |
| Inner curve diameter | **Ø 114 mm** |

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

### Colour



Yellow · RAL 1023



Black · RAL 9005

| | |
|---|---|
| **Height** | 390 mm |
| **Width** | 212 mm |
| **Plywood thickness** | 21 mm |
| **Material** | Birch plywood |
| **Upper opening** | ≈ 61 mm |
| **Lower opening(s)** | ≈ 113 mm |
| **Inner curve diameter** | 114 mm |
| **Hooks per box** | 20 |
| **Working load** | To be confirmed for your application |

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

**Sortaider OÜ | info@plyhook.com**


Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

# Cable hanger Single

Article: SINGLE-317 | Birch plywood


### PLYHOOK / Cable hanger Single

DIMENSIONS IN mm




RAL 2004 · ORANGE

PLYWOOD THICKNESS



**12 mm**

Shortened detail

| | |
|---|---|
| A Upper opening | **90 mm** |
| B Lower opening | **90 mm** |

Reference profile dimensions · schematic, not a cutting template.

### Colour



Orange · RAL 2004



Black · RAL 9005

| | |
|---|---|
| **Height** | 317 mm |
| **Width** | Confirmed in quotation |
| **Plywood thickness** | 12 mm |
| **Material** | Birch plywood |
| **Upper opening** | 90 mm |
| **Lower opening(s)** | 90 mm |
| **Hooks per box** | 20 |
| **Working load** | To be confirmed for your application |

Reference profile dimensions. Final contour and width are confirmed in the quotation.

No approved working load is published. Include the intended load and installation details.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

**Technical sheet**


# Cable hanger Double


Article: DOUBLE-394 | Birch plywood

### PLYHOOK / Cable hanger Double

DIMENSIONS IN mm

RAL 2004 · ORANGE




| | |
|---|---|
| A Upper opening | **90 mm** |
| B Lower openings | **32 / 90 mm** |

Reference profile dimensions · schematic, not a cutting template.

### Colour



Orange · RAL 2004



Black · RAL 9005

| | |
|---|---|
| **Height** | 394 mm |
| **Width** | Confirmed in quotation |
| **Plywood thickness** | 15 mm |
| **Material** | Birch plywood |
| **Upper opening** | 90 mm |
| **Lower opening(s)** | 32 / 90 mm |
| **Hooks per box** | 20 |
| **Working load** | To be confirmed for your application |

Reference profile dimensions. Final contour and width are confirmed in the quotation.

No approved working load is published. Include the intended load and installation details.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427


# Cable hanger Triple

Article: TRIPLE-470 | Birch plywood


### PLYHOOK / Cable hanger Triple

DIMENSIONS IN mm

RAL 2004 · ORANGE




PLYWOOD THICKNESS



**18 mm**

Shortened detail

| | |
|---|---|
| A Upper opening | **90 mm** |
| B Lower openings | **38 / 38 / 38 mm** |

Reference profile dimensions · schematic, not a cutting template.

### Colour



Orange · RAL 2004



Black · RAL 9005

| | |
|---|---|
| **Height** | 470 mm |
| **Width** | Confirmed in quotation |
| **Plywood thickness** | 18 mm |
| **Material** | Birch plywood |
| **Upper opening** | 90 mm |
| **Lower opening(s)** | 38 / 38 / 38 mm |
| **Hooks per box** | 20 |
| **Working load** | To be confirmed for your application |

Reference profile dimensions. Final contour and width are confirmed in the quotation.

No approved working load is published. Include the intended load and installation details.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

**Technical sheet**


# Cable hanger Grande

Article: GRANDE-394 | Birch plywood


### PLYHOOK / Cable hanger Grande

DIMENSIONS IN mm

RAL 2004 · ORANGE




PLYWOOD THICKNESS



**21 mm**

Shortened detail

| | |
|---|---|
| A Upper opening | **90 mm** |
| B Lower opening | **152 mm** |

Reference profile dimensions · schematic, not a cutting template.

### Colour



Orange · RAL 2004



Black · RAL 9005

| | |
|---|---|
| **Height** | 394 mm |
| **Width** | Confirmed in quotation |
| **Plywood thickness** | 21 mm |
| **Material** | Birch plywood |
| **Upper opening** | 90 mm |
| **Lower opening(s)** | 152 mm |
| **Hooks per box** | 20 |
| **Working load** | To be confirmed for your application |

Reference profile dimensions. Final contour and width are confirmed in the quotation.

No approved working load is published. Include the intended load and installation details.

**Sortaider OÜ | info@plyhook.com**

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427