PLYHOOK


Technical sheet

S-hook Small

Article: S-165 | Birch plywood


PLYHOOK / S-hook S

DIMENSIONS IN mm



RAL 1023 · YELLOW

PLYWOOD THICKNESS



12 mm

Shortened detail

A Upper entry gap	**≈26 mm**
B Lower entry gap	**≈48 mm**
Inner curve diameter	**Ø 48 mm**

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

Colour



Yellow · RAL 1023



Black · RAL 9005

Height	165 mm
Width	90 mm
Plywood thickness	12 mm
Material	Birch plywood
Upper opening	≈ 26 mm
Lower opening(s)	≈ 48 mm
Inner curve diameter	48 mm
Hooks per box	50
Working load	To be confirmed for your application

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

Sortaider OÜ | info@plyhook.com

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

Technical sheet


S-hook Medium

Article: M-230 | Birch plywood


PLYHOOK / S-hook M

DIMENSIONS IN mm

RAL 1023 · YELLOW



PLYWOOD THICKNESS



15 mm

Shortened detail

A Upper entry gap	**≈36 mm**
B Lower entry gap	**≈67 mm**
Inner curve diameter	**Ø 66 mm**

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

Colour



Yellow · RAL 1023



Black · RAL 9005

Height	230 mm
Width	125 mm
Plywood thickness	15 mm
Material	Birch plywood
Upper opening	≈ 36 mm
Lower opening(s)	≈ 67 mm
Inner curve diameter	66 mm
Hooks per box	40
Working load	To be confirmed for your application

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

Sortaider OÜ | info@plyhook.com

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK

Technical sheet


S-hook Large

Article: L-310 | Birch plywood


PLYHOOK / S-hook L

DIMENSIONS IN mm

RAL 1023 · YELLOW



PLYWOOD THICKNESS



18 mm

Shortened detail

A Upper entry gap	**≈49 mm**
B Lower entry gap	**≈90 mm**
Inner curve diameter	**Ø 90 mm**

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

Colour



Yellow · RAL 1023



Black · RAL 9005

Height	310 mm
Width	169 mm
Plywood thickness	18 mm
Material	Birch plywood
Upper opening	≈ 49 mm
Lower opening(s)	≈ 90 mm
Inner curve diameter	90 mm
Hooks per box	30
Working load	To be confirmed for your application

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

Sortaider OÜ | info@plyhook.com

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427

PLYHOOK


Technical sheet

S-hook Extra Large

Article: XL-390 | Birch plywood


PLYHOOK / S-hook XL

DIMENSIONS IN mm



RAL 1023 · YELLOW

PLYWOOD THICKNESS



21 mm

Shortened detail

A Upper entry gap	**≈61 mm**
B Lower entry gap	**≈113 mm**
Inner curve diameter	**Ø 114 mm**

≈ gaps calculated from the drawing contour. Not a 1:1 cutting template.

Colour



Yellow · RAL 1023



Black · RAL 9005

Height	390 mm
Width	212 mm
Plywood thickness	21 mm
Material	Birch plywood
Upper opening	≈ 61 mm
Lower opening(s)	≈ 113 mm
Inner curve diameter	114 mm
Hooks per box	20
Working load	To be confirmed for your application

Opening dimensions are approximate. Check the finished part when a close fit matters.

No approved working load is published. Check bend radius and application load separately.

Sortaider OÜ | info@plyhook.com

Väike-Männiku 13, 11216 Tallinn, Estonia | Reg. no. 14658097 | VAT EE102170427